



No. 50]

NEW DELHI, SATURDAY, DECEMBER 17, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th November, 1955

CHOLERA SMALLPOX PLAGUE

CHOLERA SMALLPOX PLAGUE

— C. D. C. D. C. D. —

— C. D. C. D. C. D. —

STATES PART (A) AND PART (C)

Andhra—contd.

Ajmer

(Estd. mid-year pop.
21,013 thousands.)

Total for w/e 12-11-55 . 68 35 15 3

Total for w/e 5-11-55 . 86 37 6 1

TOTAL

7-yearly mean for the week . . . 85 54 78 13

(Estd. mid-year pop.
741 thousands.)

Assam

Goalpara . . . 37 21

Kamrup . . . 16 13

Darrang . . . 6 7

TOTAL . 59 41

Total for w/e 12-11-55

Total for w/e 5-11-55

7-yearly mean for the week

(Estd. mid-year pop.
9,672 thousands.)

Total for w/e 12-11-55 . 133 70

Total for w/e 5-11-55 . 93 61

Andhra

7-yearly mean for the week . . . 38 21 1

Godavari East . . . 15 1

Guntur . . . 6 1

Kurnool . . . 44 19

Cuddapah . . . 22 14

Chittoor . . . 2 1

Bhopal

TOTAL . . . 2

(Estd. mid-year pop.
862 thousands.)

Total for w/e 12-11-55 . .. 3 2

Total for w/e 5-11-55 . .. 3

7-yearly mean for the week . . . 1

Bihar

TOTAL . 66 33 24 3

"N.R."

Explanation of Symbols used : C.—Cases ; D—Deaths ; .. = Nil ; "N R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th November, 1955—*contd.*

CHOLERA								CHOLERA										
SMALLPOX				PLAGUE				SMALLPOX				PLAGUE						
—		C.	p.	C.	D.	C.	D.	—		C.	D.	C.	D.	C.	D.			
Bombay								Madhya Pradesh—contd.										
Ahmednagar	9	1	(Estd. mid-year pop. 21,948 thousands.)									
East Khandesh	4	..	—	..										
Nasik	4	..	.		Total for w/e 12-11-55	44	2		
Sholapur	4	Total for w/e 5-11-55	12	3		
Bijapur	.	.	1	1		7-yearly mean for the week	.	.	.	16	4	16	3	88	9
TOTAL	.	1	1	21	1											
(Estd. mid-year pop. 38,892 thousands.)																		
Total for w/e 12-11-55	.	1	1	23	9											
Total for w/e 5-11-55	.	2	2	28	5	..	—											
7-yearly mean for the week	.	82	35	63	7											
Coorg								Madras										
TOTAL		Madras city	.	.	.	—	..	2
(Estd. mid-year pop. 256 thousands.)									South Arcot	10	1
Total for w/e 12-11-55	.	..	—	..	—	..	—		Tirunelveli	.	.	.	2	2	1	1
Total for w/e 5-11-55	.	..	—	—	—		Malabar	1
7-yearly mean for the week		TOTAL	.	2	2	13	3
Delhi								(Estd. mid-year pop. 37,797 thousands.)										
TOTAL		Total for w/e 12-11-55	19	8
(Estd. mid-year pop. 1,744 thousands.)									Total for w/e 5-11-55	7	2
Total for w/e 12-11-55		7-yearly mean for the week	.	579	278	69	17
Total for w/e 5-11-55											
7-yearly mean for the week	1	1											
Himachal Pradesh								Manipur										
TOTAL		TOTAL
(Estd. mid-year pop. 1,744 thousands.)									(Estd. mid-year pop. 606 thousands.)									
Total for w/e 12-11-55		Total for w/e 12-11-55
Total for w/e 5-11-55		Total for w/e 5-11-55
7-yearly mean for the week	1	1											
"N.R."								Orissa										
Madhya Pradesh								Cuttack										
Chhindwara	12			4	1
Bhandara	.	.	.	5	2	.	..		Keonjhar	10	5	6
Sagar	.	.	.	1		TOTAL	.	.	14	4	6
Hoshangabad	.	.	.	4	2											
Durg	.	.	.	1		(Estd. mid-year pop. 15,026 thousands.)									
TOTAL	23	4		Total for w/e 12-11-55	4
									Total for w/e 5-11-55	9	1
									7-yearly mean for the week	.	57	43	17	2

Explanation of Symbols used : C=Cases D=Deaths ; ..=Nil; "N. R."=Information not received

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 19th November, 1955—concl'd.

CHOLERA						CHOLERA					
SMALLPOX			PLAGUE			SMALLPOX			PLAGUE		
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
Patiala & East Punjab States Union						Himachal Pradesh					
TOTAL						w/e 5-11-55					
Rajasthan						TOTAL					
TOTAL						w/e 12-11-55					
Saurashtra						TOTAL					
TOTAL						Jammu & Kashmir					
Travancore-Cochin						w/e 15-10-55					
TOTAL						TOTAL					
Grand total for States Part (B)						w/e 22-10-55					
Grand total for States Parts (A), (B) & (C)						w/e 29-10-55					
ARREAR INFORMATION						TOTAL					
Bhopal						w/e 5-11-55					
w/e 12-11-55						Total					
TOTAL						w/e 12-11-55					
Explanation of Symbols used: C. = Cases; D. = Deaths; .. = Nil; "N.R." = information not received.						TOTAL					

N 3 W DBLH 1-2 (INDIA) ;

The 12th December, 1955.

K. MITRA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 5,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955

Deaths from 1—																
Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	L.D.			
STATES—(Parts A and C)																
Ajmer																
"N.R."																
Andhra																
Adoni	61	44	37.5	2	..	14	11.9	1			
Anantpur	36	25	36.1	1	..	1	2	5	7.2	2			
Anakapalli	45	29	33.5	3	..	2	..	20	23.1	5			
Bhimavaram	35	14	20.8	1	6	8.9	1			
Chirala	42	24	29.7	7	1	14	17.3	2			
Chittoor	44	32	37.8	1	1	1	..	12	14.2	2			
Cuddapah	41	45	57.1	1	1	13	16.5	..			
Eluru†																
Gudivada	35	25	37.2	3	1	9	13.4	4			
Guntur	143	118	42.9	..	1	..	2	2	9	1	51	18.6	10			
Guntakal	36	21	30.3	1	..	2	..	9	13.0	2			
Kakinada	111	52	24.3	8	2	1	..	30	14.0	10			
Kurnool	67	65	50.4	1	..	3	..	18	14.0	4			
Masulipatnam	86	89	53.9	3	..	22	13.3	6			
Nandyal	87	34	47.8	1	..	8	11.2	4			
Nellore	92	92	52.0	5	..	1	2	29	16.4	10			
Proddatur †																
Rajahmundry	119	69	30.2	6	..	1	..	25	10.9	8			
Tenali †																
Vijayavada	65	61	48.8	2	3	..	15	12.0	8			
Visakhapatnam	194	121	32.4	3	2	3	1	40	10.7	18			
	124	97	40.7	8	..	4	..	47	19.7	15			
Vizianagaram	74	48	33.7	5	1	2	..	27	19.0	7			
TOTAL	1,487	1,105	38.6	..	1	..	56	11	39	8	414	14.5	119			
Assam																
"N.R."																
Bhopal																
Bhopal City	114	96	43.8	3	1	2	..	9	4.1	..			
Bihar																
"N.R."																
Bombay																
Ahmedabad †	870	814	48.7	13	22	80	..	297	17.8	123			
Ahmednagar	87	80	47.8	1	5	4	1	29	17.3	7			
Amalner	49	35	38.9	9	..	2	..	19	20.2	3			
Bagalkot	36	24	34.7	2	..	1	1	10	14.4	2			
Baroda †	237	202	44.3	13	6	11	1	71	15.5	22			
Barsi†																
Belgaum	109	52	24.8	3	..	4	..	18	8.6	1			
Bhusawal	61	63	53.7	2	..	3	..	8	6.8	..			
Bijapur	73	42	29.9	2	..	1	..	14	9.9	..			
Broach	66	66	52.0	15	..	3	..	23	18.1	5			
Cambay†																
Chalisgaon	34	25	38.2	4	..	1	1	8	12.2	1			
Dharwar	75	30	21.3	1	1	..	1	14	9.9	..			
Dhulia	87	37	22.1	10	..	4	..	22	13.1	7			
Gadag Betegeri	70	43	31.9	5	2	4	2	25	18.4	7			
Godra	40	39	50.7	5	..	1	..	9	11.7	..			
Greater Bombay	3,335	1,656	25.8	4	25	112	2	635	9.9	166			
Hubli	144	54	19.4	2	..	7	2	20	7.2	..			
Jalgaon†																
Kalyan	70	47	34.9	2	..	11	8.2	..			
Kolhapur	155	90	30.2	1	2	10	1	25	8.4	6			

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fevers; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths; ..=Nil information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955—*contd.*

Town	Mid-year Popn.-Estd. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Bombay—contd.															
Malegaon†															
Miraj	44	32	37·8	1	..	3	..	10	11·8	2			
Nadiad	70	86	63·6	15	25	18·6	6			
Nandurbar	34	21	32·1	1	..	1	..	9	13·8	5			
Nasik	115	100	45·2	4	2	4	1	45	20·3	11			
Navasari	49	41	43·5	7	14	14·9	3			
Pandharpur	44	45	53·4	3	5	7	..	26	30·7	11			
Patan	46	55	62·2	2	2	9	10·2	2			
Poona	584	414	36·9	1	7	38	3	170	15·1	49			
Sangli	57	41	37·4	2	..	4	..	12	10·9	2			
Satara	40	35	45·5	1	..	1	1	27	35·1	2			
Sholapur	293	242	42·9	21	16	60	..	166	29·5	38			
Surat	245	218	46·3	6	3	12	..	88	18·7	33			
Thana†															
TOTAL	7,219	4,729	34·1	154	96	382	19	1,859	13·4	514			
Delhi State															
Delhi City	1,085	671	32·2	49	5	33	1	134	7·4	..			
New Delhi	355	212	31·1	5	1	5	..	86	12·5	20			
N.A.C. Civil Station, Delhi	111	122	57·2	3	1	16	7·5	5			
Delhi Cantt.	49	33	35·0			
Delhi-Shahdra	51	51	52·0	3	..	5	..	10	10·2	2			
TOTAL	1,651	1,089	34·3	57	6	46	2	266	8·4	27			
Madhya Pradesh															
"N. R."															
Madras															
Ambur	44	31	36·5	1	..	3	3·5	1			
Aruppukottai	54	29	27·9	4	2	3	..	19	18·3	8			
Bodinayakanur	39	15	20·0	1	2	1	..	6	8·0	4			
Cannanore	46	27	30·5	2	..	11	12·4	1			
Chidambaram	38	43	58·8	2	..	1	..	18	24·6	2			
Coimbatore	227	207	47·4	1	9	18	1	92	21·1	30			
Cuddalore	73	91	64·8	2	3	..	20	14·2	1			
Dindigul	88	42	24·8	6	2	1	..	28	16·5	5			
Erode	65	33	26·4	3	3	3	..	18	14·4	5			
Gobichetty †															
Palayam†															
Guddiyattam	51	13	13·3	1	5	..	11	11·2	1			
Kancheepuram	89	62	36·2	5	12	1	34	19·9	7			
Karaikudi	43	28	33·8	1	4	4·8	2			
Karur	48	37	40·1	1	2	1	..	13	14·1	2			
Kozhikode	173	179	53·8	3	..	8	..	53	15·9	9			
Kumbakonam	102	67	34·2	4	3	1	..	22	11·2	3			
Madras	1,649	1,315	41·5	48	66	150	1	571	18·0	163			
Mangalore	133	61	23·8	1	1	17	6·6	5			
Mathurai	415	296	37·1	5	3	20	..	124	15·5	45			
Mayuram	48	35	37·9	1	..	1	..	8	8·7	3			
Nolapalayam	40	19	24·7	2	3	..	8	10·4	2			
Nagapattinam	60	47	40·7	1	2	2	..	15	13·0	2			
Ottacamund	46	48	54·3	1	1	..	7	7·9	1			
Palani	39	20	26·7	1	..	8	10·7	5			
Palayamkottai	44	56	66·2	13	15·4	5			
Palghat	76	46	31·5	6	1	19	13·0	4			
Periyakulam	33	24	37·8	6	9·5	2			

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births ; B.R.=Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fevers ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths), ..=Nil information ; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955—*contd.*

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Madras— <i>contd.</i>															
Pollachi	49	32	34.0	1	4	..	20	21.2	12		
Pudukottai . . .	49	36	38.2	1	1	2	..	13	13.8	4		
Rajapalayam . . .	67	31	24.1	1	..	5	..	15	11.6	4		
Salem	234	140	31.1	3	4	10	..	59	13.1	7		
Srirangam	41	20	25.4	1	1	..	8	10.1	..		
Srivilliputtur . .	43	42	50.8	1	1	2	..	10	12.1	3		
Tanjore	115	99	44.8	1	1	3	..	38	17.2	7		
Tellicherry	42	21	26.0	3	..	12	14.9	2		
Tiruchirappalli . .	245	117	24.8	4	6	10	..	56	11.9	11		
Tirunelveli	79	55	36.2	3	2	..	10	6.6	2		
Tiruppur	61	58	49.4	2	3	2	..	17	14.5	4		
Tiruvannamalai . .	44	27	31.9	1	—	4	..	15	17.7	4		
Tuticorin	109	74	35.3	3	6	..	21	10.0	11		
Vaniyambadi	42	25	31.0	1	..	3	..	11	13.6	2		
Vellore	121	118	50.7	1	11	7	..	41	17.6	..		
Villupuram	39	39	52.0	1	..	2	..	9	12.0	3		
Virudunagar	51	80	81.6	1	2	3	..	15	15.3	3		
TOTAL	5,194	3,885	38.9	—	98	132	314	6	1,519	15.2	406		
Orissa															
Berhampur	70	82	60.9	3	3	2	1	17	12.6	6		
Cuttack	114	132	60.2	6	1	6	1	35	16.0	5		
Puri	53	42	41.2	5	3	24	23.5	12		
TOTAL	237	256	56.2	—	—	..	14	7	8	2	76	16.7	23		
Punjab (I)															
Ambala	64	61	49.7	1	7	..	12	9.8	6		
Amritsar	335	306	47.5	12	38	..	116	18.1	51		
Batala	61	46	39.3	9	—	1	21	17.9	10		
Bhiwani	56	74	69.0	9	1	3	20	18.6	7		
Ferozepore	43	50	60.6	1	7	..	13	15.8	3		
Hissar	38	50	68.4	3	..	5	11	15.1	6		
Hoshiarpur	50	45	46.9	1	1	2	10	10.4	3		
Jullundur	194	175	46.9	3	7	11	30	8.1	8		
Karnal	69	43	32.5	2	..	4	11	8.3	4		
Ludhiana	172	158	47.9	10	..	3	26	7.9	9		
Moga	40	25	32.6	1	..	3	9	11.7	5		
Panipat	62	58	48.6	7	..	3	13	10.9	5		
Pathankot	33	37	58.3	1	2	3	4.7	2		
Rewari	36	28	40.6	3	2	1	9	13.0	2		
Rohtak	102	81	41.4	4	2	4	15	7.7	3		
Simla	49	25	26.6	3	3.2	2		
Sonapat	33	32	50.6	5	3	1	11	17.4	4		
TOTAL	1,437	1,294	46.8	57	31	95	2	333	12.1	130	
Uttar Pradesh															
Agra	367	249	35.3	3	26	—	48	6.8	6	
Aligarh	342	260	39.5	1	1	27	3	65	9.9	20	
Amroha	60	69	60.0	4	5	9	..	38	33.0	14	
Bahraich	46	27	30.6	1	2	..	5	5.7	1	
Banaras	375	358	49.6	32	4	12	..	133	18.5	34	
Ballia	34	19	29.1	1	1.5	..	
Banda †	201	75	19.4	5	1	13	..	22	5.7	5	
Bareilly	
Bijnor †	
Budaun	54	40	38.6	10	..	2	..	14	13.5	4	
Basti †	
Bulandshahr †	
Chandausi	40	43	55.9	4	—	7	2	20	26.1	7	
Dehra Dun	141	60	22.2	3	..	3	..	16	5.9	5	
Etawah †	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; .. = Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955—*contd.*

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	C.	S.	P.	Deaths from :—					Total	D.R.*	I.D.
							F.	D.D.	R.D.	M.D.				
Uttar Pradesh—contd.														
Faizabad-Ayodhya	85	33	20.2	2	1	1	1	9	5.5	2	
Farrukhabad-Fatehgarh	81	55	35.3	8	1	5	..	20	12.9	9	
Ferozabad	76	28	19.2	2	3	2.0	..	
Ghaziabad	45	20	23.2	1	1	5	5.8	2	
Ghaziipur	36	28	40.5	6	..	2	..	15	21.7	1	
Gorakhpur	137	77	29.3	4	1	2	..	17	6.5	2	
Gonda	34	11	16.9	1	..	2	3.1	..	
Hapur	48	35	38.0	1	2	10	10.9	2	
Hardwar	63	45	37.2	6	1	3	..	13	10.7	5	
Hathras	61	64	54.6	7	6	5	..	24	20.5	5	
Jaunpur	56	30	27.9	3	..	4	..	10	9.3	1	
Jhansi	115	113	51.2	20	4	2	..	34	15.4	11	
Kanpur	716	490	34.4	122	20	50	6	329	23.1	91	
Kasganj	34	12	18.4	11	1	12	18.4	8	
Khurja	40	22	28.7	7	..	8	10.4	2	
Koili-Aligarh	148	55	19.4	4	2	4	..	17	6.0	5	
Lucknow	485	335	35.9	13	4	19	..	102	11.0	32	
Mathura	108	112	54.1	17	..	4	..	27	13.0	5	
Mau-Nath Bhanjan	37	52	73.3	4	10	14.0	6	
Meerut	181	169	48.6	7	2	11	..	27	7.8	5	
Mirzapur-Vindhyachal	95	72	39.4	3	..	4	..	16	8.8	6	
Moradabad	163	150	47.9	6	2	14	1	40	12.8	7	
Muzaffarnagar	72	44	31.9	7	..	1	..	13	9.4	4	
Pilibhit	45	51	59.1	5	..	1	..	8	9.3	1	
Rampur †														
Saharanpur	158	117	38.5	30	..	6	..	37	12.2	14	
Sambhal †														
Shahjahanpur	99	84	44.1	11	4	3	..	25	13.2	8	
Sitapur	48	47	51.0	4	..	2	..	10	10.9	2	
TOTAL	4,926	3,551	37.5	363	63	252	17	1,205	12.7	332	
West Bengal														
Asansol †														
Baidyabati	33	28	44.1	3	4.7	1	
Bally	65	11	8.8	1	0.8	..	
Bankura	50	1	1.0	3	3.1	..	
Bansberia †														
Baranagar	87	54	32.3	1	1	4	..	13	7.8	..	
Basirhat	39	10	13.4	
Berhampur	62	56	47.0	6	..	1	..	18	15.1	5	
Bhadreshwar	34	9	13.8	4	..	5	7.7	2	
Bhatpara	141	43	15.9	8	1	1	1	38	14.1	17	
Budge-Budge	32	26	42.3	1	2	3.3	..	
Burdwan	81	13	8.4	1	5	3.2	..	
Calcutta	2,931	1,696	30.1	30	49	168	9	681	12.1	221	
Campdani	40	41	53.4	1	1.3	..	
Cooch-Behar †														
Darjeeling †														
English-Bazar	35	24	35.8	1	..	1	..	4	6.0	..	
Garden Reach	121	19	8.2	8	1	1	1	14	6.0	..	
Halisahar	40	5	6.5	1	1.3	..	
Hooghly-Chinsurah	60	66	57.4	4	2	10	8.7	1	
Howrah	471	292	32.2	..	1	..	7	12	49	..	148	16.4	60	
Jalpaiguri †														
Kamarhati †														
Kanchrapara	71	23	16.9	
Krishnagar	55	67	63.3	1	4	..	4	14	14.2	3	
Midnapore	44	48	56.9	3	..	1	..	12	14.2	..	
Nabadwip	67	38	29.6	21	2	1	1	27	21.0	3	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficient by reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used : —B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery; M.D.—Maternal Deaths; R.D.—Respiratory Diseases; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); .. = Nil Information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	Deaths from :—										Total	D.R.*	I.D.
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Naihati	61	12	10.3	1	..	1	..	3	2.6	..		
North Barrackpore	36	4	5.8		
Panihati	62	2	1.7		
Snantipur	48	27	29.3	1	3	3.3	..		
Serampore	82	48	30.5	1	2	..	2	..	26	16.5	9		
Siliguri †															
South Dum Dum	79	2	1.3		
South Suburban	120	17	7.4	3	1	11	4.8	4		
Titagarh	76	31	21.3	15	..	1	1	21	14.4	5		
TOTAL	5,123	2,713	27.5	1	1	..	109	74	238	18	1065	10.8	331		

STATES (PART B)

Jammu & Kashmir

"N.R."

Madhya Bharat

Greater Gwalior	267	44	8.6	9	1	1	2	34	6.6	3	
Indore	357	274	39.9	26	3	8	1	88	12.8	35	
Ujjain	151	61	21.0	7	2	36	12.4	1	
Ratlam	71	28	20.5	5	..	2	..	12	8.8	1	
Mandsaur	40	47	61.1	1	1	1.3	..	
TOTAL	886	454	26.6	48	6	11	3	171	10.0	40	

Mysore

Bangalore	936	554	30.8	4	41	76	..	233	12.9	..	
Mysore	285	128	22.3	15	5	4	..	58	10.6	..	
Kolar Gold Fields	170	151	46.2	3	1	4	..	31	9.5	..	
Davangere	67	35	27.2	1	2	7	5.4	..	
TOTAL	14,58	868	31.0	23	49	84	..	329	11.7	..	

PEPSU

Patiala City	108	61	29.4	9	..	4	..	26	12.5	10	
Malerkotla	34	31	47.4	8	10	15.3	1	
Bhatinda	38	31	42.4	3	..	2	..	5	6.8	1	
TOTAL	180	123	35.5	20	..	6	..	41	11.8	12	

Rajasthan

Alwar	60	20	17.3	1	2	1.7	..	
Bharatpur†														
Bikaner	117	50	22.2	..	2	..	4	6	11	1	40	17.8	3	
Churu†														
Ganganagar†														
Tonk†														
Kotah	71	16	11.7	7	14	22	16.1	2	
Sikar†														
Jalpur	341	64	9.8	22	8	27	2	89	13.6	22	
Udaipur	103	4	2.0	2	..	4	2.0	..	
Jodhpur†														
TOTAL	692	154	11.6	..	2	..	34	14	40	17	157	11.8	27	

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D. Infantile Deaths (included in total deaths) ; ..—Nil Information ; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955—*contd.*

Town	Mid-year Popn. Est. (000)	B.	B.R.*	Deaths from : —										Total	D.R.*	I.D.
				C.	S.	P.	F.	D.D.	R.D.	M.D.						
Travancore-Cochin																
Alleppey	142	63	23·1	4	..	1	..	32	11·7	2			
Changanacherry	40	10	13·0	1	..	4	5·2	1			
Ernakulam	69	52	39·2	3	14	10·6	..			
Kottayam†																
Mattanchery	83	75	47·0	1	1	2	..	15	9·4	5			
Nagercoil	91	39	22·3	2	2	..	1	13	7·4	3			
Quilon	73	87	62·0	16	11·4	4			
Trichur	75	74	51·3	5	15	10·4	3			
Trivandrum City	213	152	37·1	6	4	1	..	48	11·7	2			
TOTAL	786	552	36·5	21	7	5	1	157	10·4	20			
Saurashtra																
Bhavnagar	153	104	35·3	24	2	4	1	55	18·7	7			
Dhoraji	46	27	30·5	1	..	1	..	6	6·8	2			
Gondal	40	21	27·3	7	..	2	1	15	19·5	6			
Jamnagar	119	28	12·2	18	3	1·7	..	43	10·4	8			
Junagadh	65	45	36·0	12	1	2	1	23	28·4	4			
Morvi	42	19	23·5	3	1	1	..	7	8·7	2			
Porbandar	63	35	28·9	9	1	15	12·4	5			
Rajkot	161	103	33·3	17	4	8	2	45	14·4	13			
Surendranagar	41	14	17·8	1	..	1	..	5	6·3	1			
Veraval	45	15	17·3	2	..	1	..	8	9·2	48			
TOTAL	775	411	27·6	94	12	27	5	222	14·9	36			
Hyderabad																
Aurangabad†																
Bidar†																
Gulbergat																
Hyderabad City†																
Jalna†																
Kothagudiam	67	36	27·9	3	2·3	..			
Latur	40	2	2·6	2	..	2	..	4	5·2	..			
Nanded	77	20	13·5	16	2	3	..	25	16·9	..			
Nizamabad	65	23	18·4	2	..	1	..	5	4·0	3			
Parbhani†																
Raichur†																
Secundrabad City	162	124	39·8	3	9	52	16·7	..			
Warangal†																
TOTAL	411	205	25·9	23	11	6	..	89	11·3	3			
Madhya Pradesh																
ARREAR RETURN W/c-22-10-1955																
Achalpur	38	34	46·5	7	14	19·2	8			
Akola	101	77	39·6	12	3	2	1	33	17·0	6			
Amravati	98	118	62·6	6	2	2	3	30	15·9	10			
Bilaspur	40	35	45·5	1	1	13	16·9	5			
Burhanpur	77	70	47·3	14	..	2	..	19	12·8	..			
Chanda	43	61	73·8	4	2	12	14·5	4			
Chindwara	30	38	65·9	2	16	27·7	9			
Damoh	47	15	19·0	6	9	11·4	..			
Gondia†				
Hinganghat			
Jabalpur	231	263	59·2	15	..	16	..	59	13·3	..			
Khandwa	58	34	30·5	9	1	13	11·7	..			
Khamgaon	41	51	64·7	6	1	1	..	17	21·6	..			
Kamptee†				
Murwa†				

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths), ..—Nil information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955

Death from :—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh—contd.													
Nagpur† Sagar Raipur†	73	41	27.6	3	13	8.8	..
Raigarh Wardha† Yeotmal	34	11	16.8	1	5	7.6	1
	40	57	74.1	4	1	2	..	14	18.2	6
Total	945	905	49.8	89	10	26	5	267	14.7	49

Madhya Pradesh :

For w/e 29-10-55

*Achalpur	38	34	46.5	4	11	15.1	3
Akola	101	76	39.1	14	2	3	..	42	21.6	12
Amravati	98	94	49.9	5	..	3	1	26	13.8	8
Bilaspur	40	39	50.7	3	..	1	..	16	22.1	4
Burhanpur	77	69	46.6	12	..	4	..	24	16.2	..
Chanda	43	43	52.0	2	11	13.3	6
Chindwara	30	18	31.2	2	1	1	..	23	39.9	14
Damoh†	44	38	44.9	2	3	10	11.8	3
Gondia													
Hinganghat†													
Jabalpur	231	159	35.8	11	..	11	..	53	11.9	..
Khandwa	58	35	31.4	3	1	8	7.2	..
Khangaon	41	40	50.7	4	2	1	..	12	15.2	..
Kamptee†													
Murwa†													
Nagpur†													
Sagar	73	27	19.2
Raipur†													
Raigarh	34	22	33.6	3	6	9.1	..
Wardha†													
Yeotmal	40	48	62.4	4	2	2	..	18	23.4	5
TOTAL	948	742	40.7	69	8	26	4	260	14.3	55

Madhya Pradesh

For w/e 5-11-55

Achalpur†													
Akola	101	75	38.6	7	1	2	..	22	11.3	8
Amravati	98	119	63.1	4	1	6	1	48	25.5	17
Bilaspur	40	58	75.4	3	1	..	4	14	18.2	4
Burhanpur	77	57	38.5	16	1	3	..	34	23.0	..
Chanda	43	33	39.9	6	21	25.4	1
Chindwara	30	27	46.8	10	1	3	..	33	57.2	12
Damoh	41	17	21.6	7	1	13	16.5	..
Gondia	44	31	36.6	2	1	8	9.5	1
Hinganghat†													
Jabalpur†													
Khandwa	58	25	22.4	2	1.5	..
Khangaon†													
Kamptee†													
Murwa†													
Nagpur†													
Sagar†													
Raipur†													
Raigarh	34	48	73.4	1	7	10.7	1
Wardha†													
Yeotmal†													
Total	566	490	45.0	56	6	14	6	202	18.6	44

Madhya Pradesh

For w/e 12-11-55

Achalpur	38	35	47.9	8	18	24.6	7
Akola	101	65	33.5	3	2	1	..	18	9.3	5
Amravati†													

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.=Births; B.R.=Births Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fever; D.D.=Dysentery and Diarrhoea; R.D.=Respiratory Diseases; M.D.=Maternal Deaths; D.R.=Death Rate; I.D.=Infantile deaths (included in total deaths); ..=Nil information; "N.R."=Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955—concl'd.

Deaths from:—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madhya Pradesh—contd													
ARREAR RETURN STATES—(Part B)													
Bilaspur	40	34	44.2	4	2	8	10.4	1
Burhanpur	77	76	51.3	9	..	2	..	20	13.5	..
Chanda	43	44	53.2	6	2	22	26.6	..
Chindwara	30	16	27.7	3	12	20.8	5
Damoh	41	11	14.0	3	1	2	..	9	11.4	..
Gondia†													
Hinganghat†													
Jabalpur†													
Khandwa	58	29	26.0	—	2	4	3.6	..
Khamgaon†													
Kamptee†													
Murwa†													
Nagpur†													
Sagar	73	32	22.8	3	..	1	..	10	7.1	..
Raipur†													
Raigarh	34	8	12.2	1	1	1.5	..
Wardha†													
Yeotmal	40	38	49.4	4	1	23	29.9	8
Total	575	388	35.1	—	46	6	6	2	145	13.1	26
Madhya Bharat													
<i>For w/e 5-11-55</i>													
Greater Gwalior	267	278	54.1	—	3	—	3	..	16	3.1	..
Indore	357	232	33.8	—	18	4	15	2	87	12.7	22
Ujjain	151	72	24.8	12	3	..	1	56	12.4	1
Ratlam	71	23	16.8	—	..	—	1	..	5	3.7	..
Mandsaur	40	1	1.3	—	3	..	—	..	3	3.9	..
TOTAL	886	606	35.6	—	36	7	19	3	147	8.6	23
Madhya Bharat :													
<i>For w/e 12-11-1955</i>													
Greater Gwalior	267	71	13.8	14	2.7	1
Indore	357	373	54.3	28	2	15	2	98	14.3	27
Ujjain	151	71	24.5	8	3	..	1	42	14.5	1
Ratlam	71	23	16.9	2	..	1	..	10	7.3	..
Mandsaur	40
TOTAL	886	538	31.6	38	5	16	3	164	9.6	29
Hyderabad													
<i>For w/e 9-4-55</i>													
Aurangabad†													
Bidar†													
Gulbergat†													
Hyderabad City	1021	94	48.9	—	10	2	8	..	117	6.0	12
Jalna†													
Kothagudiam†													
Latur†													
Nanded†													
Nizambad	65	2	..	1	..	3	2.4	—
Parbhani†													
Raichur†													
Secunderabad City	162	3	4	3	..	29	9.3	6
Warangal†													
TOTAL	1248	94	3.9	..	—	..	15	6	12	..	149	6.2	18
Hyderabad													
<i>For w/e 16-4-1955</i>													
Aurangabad†													
Bidar†													
Gulbergat†													
Hyderabad City	1021	162	8.3	—	—	—	13	1	11	1	60	3.1	4
Jalna†													
Kothagudiam†													
Latur†													
Nanded†													
Nizambad	65	—	—	—	—	—	2	—	2	—	4	3.2	—
Parbhani†													
Raichur†													
Secunderabad City	162	—	—	—	1	3	4	1	36	11.6	8
Warangal†													
TOTAL	1248	162	6.8	16	4	17	2	100	4.2	12

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used:—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955

Town	Mid-year Popn. Est. (000)	Deaths from :—											Total	D.R.*	I.D.
		B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Hyderabad For w/e 23-4-55															
Aurangabad †															
Bidar †															
Gulberga †															
Hyderabad City	1,021	92	4.7	10	1	12	..	105	5.3	3		
Jalna †															
Kothagudiam †															
Latur †															
Nanded †															
Nizambad	65	1	..	2	..	3	2.4	..		
Parbhani †															
Rajchur †															
Secunderabad City	162	1	3	4	1	36	11.6	8		
Warangal †															
Total	1,248	92	3.8	12	4	18	1	144	6.0	11		
Hyderabad For w/e 30-4-55															
Aurangabad †															
Bidar †															
Gulberga †															
Hyderabad City	1,021	173	8.8	19	7	5	..	107	5.4	22		
Jalna †															
Kothagudiam †															
Latur †															
Nanded †															
Nizambad	65	1	..	2	1	3	2.4	1		
Parbhani †															
Rajchur †															
Secunderabad City	162	2	3	14	..	36	13.8	8		
Warangal †															
Total	1,248	173	7.2	22	10	21	1	146	6.1	31		
Hyderabad For w/e 7-5-55															
Aurangabad †															
Bidar †															
Gulberga †															
Hyderabad City	1,021	195	9.9	13	3	3	..	59	3.0	8		
Jalna †															
Kothagudiam †															
Latur †															
Nanded †															
Nizambad	65	1	..	1	1	6	4.8	1		
Parbhani †															
Rajchur †															
Secunderabad City	162	2	2	11	1	38	12.2	8		
Warangal †															
Total	1,248	195	8.1	16	5	15	2	103	4.3	17		
Hyderabad For w/e 14-5-55															
Aurangabad †															
Bidar †															
Gulberga †															
Hyderabad City	1,021	401	20.4	17	5	3	..	74	3.8	9		
Jalna †															
Kothagudiam †															
Latur †															
Nanded †															
Nizambad	65	1	2	1	3	2.4	..		
Parbhani †															
Rajchur †															
Secunderabad City	162	3	2	4	..	30	9.6	7		
Warangal †															
TOTAL	1,248	401	16.7	20	8	9	1	107	4.5	16		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.
†Figures not available.

Explanation of symbols used :—B.—Birth ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevvers ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths), ..=Nil information ; N.R.—Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955—

Town	Mid-year Popn.-Est. (000)	B.	Deaths from :—										Total	D.k*. I.L.	
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.					
Hyderabad															
For w/e 2-5-55															
Aurangabad†															
Bidar†															
Gulberga†															
Hyderabad City	1,021	133	6.8	9	1	9	..	127	6.5	11		
Jalna†															
Kothagudiam†															
Latur†															
Nanded†															
Nizambad	65	2	..	1	..	3	2.4	..		
Parbhani†															
Raichur†															
Secunderabad City	162	3	..	6	..	20	6.4	6		
Warangal†															
TOTAL	1,248	133	5.5	14	3	16	..	150	6.3	17		
Hyderabad															
For w/e 28-5-55															
Aurangabad†															
Bidar†															
Gulberga†															
Hyderabad City	1,021	791	40.3	3	1	57	..	50	3.3	5		
Jalna†															
Kothagudiam†															
Latur†															
Nanded†															
Nizambad	65	2	..	2	..	4	3.2	..		
Parbhani†															
Raichur†															
Secunderabad City	162	110	35.3	1	1	6	1	24	17.7	6		
Warangal†															
TOTAL	1,248	901	37.5	6	2	15	1	78	3.3	11		
Uttar Pradesh															
For w/e 2-4-55															
Banda	32	7	11.4	2	4	6.5	..		
Ballia	34	8	12.3	4	5	7.7	1		
Mau Nath Bhanjan	37	30	42.3	1	3	4.2	2		
Rampur	154	3	1.0	1	..	2	0.7	1		
For w/e 9-4-55															
Basti	37	5	7.0	2	3	4.2	..		
Bijnor	31	10	16.8	1	2	4	6.7	2		
Buland Sahar	41	9	11.4	7	7	8.9	1		
Ballia	34	9	13.8	5	10	15.3	..		
Rampur	154	8	2.7	1	..	3	1.0	1		
Pilibhit	45	20	23.2	..	2	..	8	4	1	..	26	30.1	6		
For w/e 16-4-55															
Basti	37	1	1.4	1	1.4	..		
Bijnor	31	13	21.9	1	..	2	..	7	11.8	1		
Ballia	34	7	10.7	4	6	9.2	..		
Sambhal	64	40	32.6	2	1	7	..	12	9.8	5		
For w/e 23-4-55															
Basti	37		
Bijnor	31	8	13.4	2	..	1	..	5	8.4	1		
Faizabad Ayodhya	85	27	16.6	3	4	4	..	13	8.0	..		
Rampur	154	4	1.3	2	0.7	1		
For w/e 30-4-55															
Basti	37		
Bijnor	31	16	26.0	1	1	2	..	4	6.7	2		
Firozabad	76	22	15.1	7	1	1	..	17	11.7	2		
Haidwar	63	31	25.6	..	1	..	9	1	1	..	20	16.5	4		
For w/e 7-5-55															
Amroha	60	40	34.8	5	1	5	..	19	16.5	5		
Basti	37		
Bijnor	31	15	25.2	2	..	1	..	5	8.4	1		
Koili Aligarh	148	34	12.0	7	4	6	..	22	7.7	8		
Mau Nath Bhanjan	37	1	..	2	3	6	8.4	1		
Rampur	154	3	1.0	2	3	1.0	..		

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimate may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B. Birth ; B.R.= Birth Rate ; C.=Cholera ; S.=Smallpox ; P.=Plague ; F.=Fever ; D.D.=Dysentery and Diarrhoea ; R.D.=Respiratory Diseases ; M.D.=Maternal Deaths ; D.R.=Death Rate ; I.D.=Infantile Deaths (included in total deaths) ; ..=Nil information ; N.R.=Information not received.

Birth and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 19th November, 1955

Deaths from:—

Town}	Mid-year Popn. Estd. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	D.R.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh (contd.)													
<i>For w/e 14-5-55</i>													
Bareilly	201	53	13.7	7	3	14	..	32	8.3	..
Basti	37	1
Firozabad	76	28	19.2	8	11	7.5	..
Man Nath Bhanjan	37	21	29.5	..	1	..	3	1	9	12.7	1
Pilibhit	45	33	38.2	..	4	..	18	2	4	..	36	41.7	1
Rampur	154	6	2.0	2	..	1	..	5	1.7	4
<i>For w/e 21-5-55</i>													
Banda	32	9	14.7	2	..	3	..	6	9.8	2
Basti	37
Bijnor	31	8	13.4	2	..	8	13.4	2
Man Nath Bhanjan	37	22	31.0	..	4	..	1	2	13	18.3	3
Mirzapur Vindhya chal	95	32	17.6	..	1	..	12	1	3	..	19	10.4	2
<i>For w/e 28-5-55</i>													
Basti	37
Bijnor	31	7	11.8	2	..	1	..	7	11.8	3
Hardwar	63	31	25.6	15	..	3	..	22	18.2	6
Rampur	154	3	1.0	1	..	3	1.0	..
<i>For w/e 4-6-55</i>													
Basti	37
Etawah	63	41	33.9	11	5	8	..	39	32.3	9
Rampur	154	2	0.7	1	0.3	1..
<i>For w/e 11-6-55</i>													
Basti	37	1	1.4	2	2	2.8	..
Bijnor	31	10	16.8	4	..	1	..	6	10.1	..
Dehradun	141	30	11.1	2	..	2	..	10	3.7	1
Ballia	34	2	3.1	1	3	4.6	1
Lucknow	485	522	45.4	..	7	..	67	12	55	..	52	20.7	54
Man Nath Bhanjan	37	16	22.5	..	2	..	1	7	9.9	2
<i>For w/e 18-6-55</i>													
Basti	37	5	7.0	2	2	2.8	..
Lucknow	485	183	19.7	..	4	..	52	9	53	..	166	17.8	52
Rampur	154	4	1.3
<i>For w/e 25-6-55</i>													
Allahabad	342	145	22.1	..	2	..	3	1	25	..	60	9.1	21
Basti	37	6	8.4	2	2	2.8	..
Dehradun	141	30	11.1	3	..	3	..	10	3.7	2
Ballia	34	7	10.7	1	4	6.1	2
Etawah	63	54	44.7	10	2	3	..	24	19.9	6
Firozabad	76	34	23.3	14	18	12.3	3
Koil Aligarh	148	38	13.4	23	37	13.0	12
Man Nath Bhanjan	37	20	28.2	..	3	..	2	8	11.3	2
Rampur	154	7	2.4
Madhya Pradesh													
<i>For w/e 1-10-55</i>													
Khamgaon	41	15	19.0	4	10	12.7	..
<i>For w/e 8-10-1955</i>													
Khamgaon	41	73	92.6	1	1	1	..	6	7.6	..
<i>For w/e 15-10-55</i>													
Khamgaon	41	30	38.0	8	1	3	..	14	17.8	..
Punjab													
<i>For w/e 12-11-55</i>													
Ferozporc	43	27	32.7	3	4	..	9	10.9	3

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available

Explanation of symbols used :—B=Births; B. R.=Birth Rate; C.=Cholera; S.=Smallpox; P.=Plague; F.=Fevers; D.D.=Dysentery and Diarrhoea; R. D.=Respiratory Diseases; M. D.=Maternal Deaths; D. R.=Death Rate; I. D.=Infantile Deaths (included in total deaths); Nil=information; "N.R."=Information not received.

REMARKS

The figures of births and deaths shown in this statement for week ending the 19th November, 1955, relate to 225 towns with an estimated population of 32,576 thousands. The total number of towns is 313 and their population is 40,934 thousands. Thus 72% of the total number of towns representing 80% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 21,485 and 7,912 representing birth and death rates of 34.3 and 12.6 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 185 towns with an estimated population of 27,388 thousands. Information about Ajmer, Assam, Bihar and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 73% of the total number of towns representing 84% of the total population is covered. The number of births and

deaths recorded in these towns were 18,718 and 6,746 representing birth rates and death rates of 35.5 and 12.8 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 40 towns with an estimated population of 5,188 thousands. The total number of towns is 61 and their population is 8,362 thousands. Thus 66% of the total number of towns representing 62% of the total population is covered. The number of births and deaths recorded in these towns were 2,767 and 1,166 representing birth and death rates of 27.7 and 11.7 per thousand of population respectively.

No town recorded a high death rate of 50 or over per thousand of population.

States	Current [w/e 19-11-55]		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.]	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	38.6	14.5	39.6	15.1	†	†
Bombay . . .	34.1	13.4	40.8	13.3	42.6	17.3
Delhi . . .	34.3	8.4	39.1	8.3	46.8	13.3
Madras . . .	38.9	52.2	41.9	18.4	†	†
Orissa . . .	56.2	16.7	75.8	21.3	49.5	12.4
Punjab (I) . .	46.8	12.1	44.1	10.2	42.1	12.1
Uttar Pradesh .	37.5	12.7	42.0	17.2	41.3	18.2
West Bengal . .	27.5	10.8	26.6	10.7	25.9	13.1
*India . . .	35.5	12.8	41.1	14.8	41.7	17.5

*7 Part A States and 1 Part C State

† Figures not available.

NEW DELHI-2 (INDIA) }
The 12th December, 1955. }

K. MITRA,
for Registrar, General, India.